

Sucrogen BioEthanol

MIBK

Methyl Iso Butyl Ketone



Methyl Isobutyl Ketone is a medium evaporating solvent. An active solvent for many synthetic resins and is very useful in developing high solid coatings due to its combination of high solvent activity and low density.



Markets and Applications

- Denaturant for Ethyl Alcohol
- Fungicides
- Germicides
- Gravure Printing Inks
- Coatings
- Extraction solvent for de-waxing and de-oiling
- Petroleum products

Available Grades

- Industrial

Packaging

Available as


- Bulk deliveries varying amounts*
- 165kg drums
- 16kg pails

**minimum delivery size or other constraints may apply*



Specifications

Parameter	Specification
Purity	99% by weight (min)
Colour	15 Hazen units (max)
Water Content	0.1% by weight (max)
Density	0.804 – 0.807 kg/L @ 15°C
Acidity	0.01% by weight (max) acetic acid
Distillation Range	IBP 114.0°C (min) DP 117.0°C (max)
Boiling Point	116.8°C
Flash Point	16°C (tag closed cup)
Evaporation Rate	160



For further information on the Sucrogen BioEthanol range of products, please contact

Sucrogen BioEthanol Pty Ltd
664 Lorimer Street
Port Melbourne
Vic 3207, Australia

t: 1800 819 618
f: 1800 647 260
www.sucrogen.com
Email: bioethanol@sucrogen.com
ABN: 85 009 660 191